

**CLAIMS OF 09/909,436 WITH THE STATUS OF EACH CLAIM SHOWN
EXPLICITLY**

1. (Original) A basting apparatus, comprising:
a rack; and
a pan supported by said rack.
2. (Original) The basting apparatus as recited in claim 1, wherein said rack includes a grid, said grid having plural exterior bars and plural interior bars, said plural exterior bars fitting telescopically over said plural interior bars.
3. (Original) The basting apparatus as recited in claim 2, wherein said plural exterior bars are parallel and said plural interior bars are parallel.
4. (Original) The basting apparatus as recited in claim 1, wherein said rack includes a grid and wherein said pan is supported by said grid.
5. (Original) The basting apparatus as recited in claim 1, wherein said rack includes a frame, said frame carrying a set of rungs.
6. (Original) The basting apparatus as recited in claim 5, wherein said rack includes a grid and wherein said grid fits between said rungs.
7. (Original) The basting apparatus as recited in claim 1, wherein said rack has base members and elevates said pan above said base members.

8. (Original) The basting apparatus as recited in claim 1, wherein said rack has base members and rungs, said rungs being supported at an angle with respect to said base members.

9. (Original) The basting apparatus as recited in claim 1, wherein said rack is adjustable.

10. (Original) The basting apparatus as recited in claim 1, wherein said rack is telescopically adjustable.

11. (Original) A basting apparatus, comprising:

a rack; and

a pan supported by said rack; and

a grill having a surface and carrying said rack and said pan on said surface.

12. (Original) The basting apparatus as recited in claim 11, wherein said rack comprises:

a frame having plural rungs; and

a grid supported by said rungs.

13. (Original) The basting apparatus as recited in claim 11, wherein said rack is adjustable.

14. (Original) The basting apparatus as recited in claim 11, wherein said grill comprises:

a spit;

means for rotating said spit; and

a heating element in spaced relation to said spit.

15. (Original) The basting apparatus as recited in claim 14, wherein said rack is dimensioned to fit between said spit and said surface of said grill.

16. (Original) The basting apparatus as recited in claim **14**, wherein said pan is dimensioned so that, when filled with basting fluid and a food product is on said spit, said basting fluid will be in contact with said food product.

17. – 20. (Cancelled)